



## **Arrow Bench Collection**

Are you heading in the right direction? Arrows by SIXINCH® is available in either a straight or curved arrow shape along with a complementing ottoman. Arrows add fun to any environment! Creating a collaborative space has never been easier.

Shown Above: Cliffy 6000 in FlexPlus™ Steen Table & Pouf in FlexPlus™

# General Information

#### Foam

Foam Density Rating: 2.70 lb/ft ILD Rating: 65 Test Weight: Up to 350lbs CAL117 Flame Retardant

## **Options**

FlexPlus™: Custom Color Systems Tethering, Weights: Yes


#### **Environment**

Suitable for Any Indoor or Outdoor Environment.

# Dimensions (in)




**Arrow 1**Bench **W** 53.0 × **D** 35.0 × **H** 19.5




**Arrow 2**Bench **W** 54.0 x **D** 38.5 x **H** 19.5



**Arrow 3**Bench **W** 35.0 x **D** 185.0 x **H** 19.5



**Arrow 4**Bench **W** 54.0 × **D** 38.5 × **H** 19.5



**Arrow 5**Bench **W** 59.0 × **D** 23.5 × **H** 19.5

# **Estimated Weight**

The Arrow 1 has an estimated weight of 70 lbs. The Arrow 2 has an estimated weight of 75 lbs. The Arrow 3 has an estimated weight of 30 lbs. The Arrow 4 has an estimated weight of 75 lbs. The Arrow 5 has an estimated weight of 43 lbs.

### Foam Tolerance

Foam Tolerances can vary. When placing your order, please ensure tolerances listed below fit into specified space.

0" to 2" = +/- 1/16" 2" to 36" = +/- 1/8" 36" or more = +/- 1/4" Angles +/- 1°

# Standard FlexPlus<sup>™</sup> Colors

### **Primary**



We Match Custom Color Systems Including CMYK, PMS, RAL, NCS


## ★ U.V. Resistant

The FlexPlus<sup>™</sup> coating is suitable for indoor or outdoor application. The color layer features U.V. Inhibitors found in automotive paint, providing a durable finish that can withstand the elements.



All images shown can be found online at **sixinchusa.com** 





All images shown can be found online at **sixinchusa.com** 





All images shown can be found online at **sixinchusa.com** 



All images shown can be found online at **sixinchusa.com** 

# Service / Warranty

### Servicing

Damaged components in need of replacement require an image of the damaged part and a reference to your order number. Please email this information to **support@sixinch.us** and we will be happy to provide replacement options.

\* Visit **sixinchusa.com/warranty** for details on service and warranty terms and conditions.

#### FlexPlus™ Warranty

FlexPlus™ coated surfaces shall be free of defects in materials and workmanship for a period of three (3) years. FlexPlus coated products intended to be used in non-standard furniture applications (i.e. stood on, walked on, or in "heavy use") shall be free of defects in material and workmanship for a period of one (1) year. FlexPlus coated products intended to be used in applications other than furniture uses (i.e. as "toys", building blocks, or without a wood base/glides) will not be covered under warranty.



# Quote

#### Online

Visit **sixinchusa.com**,create an account and submit your quote. A customer service representative will be in touch to guide you through the purchasing process or put you in touch with your regional rep.

#### Phone / Email

Call **855-577-2417** or email **support@sixinch.us**. Your regional rep contact information can also be found at **sixinchusa.com/connect**.



# **Brand Promise**

We offer our customers endless creativity, backed by generations of industry experience.

We deliver through quality, creativity and flexibility. We're here to help you create, entertain and work (a little).

For more information visit **sixinchusa.com** or call us at **855-577-2417**.



SIXINCH® North America 901 East Madison Street, Goshen, IN 46528 855-577-2417 support@sixinch.us