

Bothy

Privacy Booth

Designed by SIXINCH USA



Product Sheet / **Bothy**

Bothy

Inspired by small shelters found in remote areas of Ireland, the Bothy (pronounced 'bäTHë) is the newest addition to the SIXINCH® line of space definition. In the world of open concept, Bothy takes the hybrid office concept to the next level. This easy-to-install, highly versatile space defining piece offers the perfect haven for people wanting to work freely without distraction – key in any work environment.

Shown Above:
Bothy
White-HPL Fascia
Gears Pattern PET Felt
Whiteboard Panel
Black Metal Frame

General Information

Material

Panel: Acoustic PET Felt
Fascia: Russian Birch Plywood
w/HPL
Frame: Powder Coated Aluminum


Options

Panel Patterns: Grass, 1/2 Horizon,
Horizon, Gears, Solid
Casters
Dimmable LED Light Strip
w/Motion Sensor

Environment

Suitable for Any Indoor
Environment.

Dimensions (in)



Bothy

Privacy Booth

W 105.0 x D 51.0 x H 104.0



Estimated Weight

The Bothy weight is estimated at 175lbs.

** Weight may vary with panel material and design.*



Ready-to-Assemble Design


Bothy is flat packed for convenient shipping.

Hardware is included and assembly is required.


Panel Patterns




Grass




1/2 Horizon



Horizon




Gears




Solid

Color / Finish


PET Felt Colors



White Noise




Cast Iron




Sonic




Latte



Smoke




Fossil



Moss


Aluminum Frame Finishes (Powder Coating)




Black
RAL 9004




White
RAL 9016



Copper
RAL 8029



Blush
RAL 3012




Honey
RAL 1034




Seafoam
RAL 6019

Fascia Finishes (Formica®)




Pigeon Blue
RAL 5014



Signal Grey
RAL 7004



White HPL



Grey HPL

PET Felt Specification



Sound Absorption

Coefficient is more than 0.8 in the range of 125 ~ 4000 Hz, making sound better and ideal for high demand acoustic installations.



Fire Retardant

Passes ASTM fire retardant test done by SGS, resulting in a Class A specification.



Environmental

Reaches national level EO flexible and soft, will not fragment.



Physical

Heat preservation qualities. Flexible, Wear Resistant, Impact Resistant, Tear Resistant. Widely used in places requiring special requirements for the wall.



Product Sheet / **Bothy**



Product Sheet / **Bothy**

📷 All images shown can be found online
at sixinchusa.com


Options



Casters

Heavy Duty locking casters can be added to make your Bothy mobile.

Bothy Details




Bothy

Privacy Booth

Upgrades (Add to list pricing)

Cut-In Designs:
(Per Panel)



Caster

Qty of 4 (1.2" Add to Height)

Service / Warranty

Servicing

Damaged components in need of replacement require an image of the damaged part and a reference to your order number. Please email this information to **support@sixinch.us** and we will be happy to provide replacement options.

* Visit **sixinchusa.com/warranty** for details on service and warranty terms and conditions.

Warranty

Wood, steel, aluminum, plastic components, molded PE applications shall be free from defects in materials and workmanship for a period of five (5) years from the date of purchase. Softening of foam will occur through normal use and is not a manufacturing defect.



Quote

Online

Visit **sixinchusa.com**, create an account and submit your quote. A customer service representative will be in touch to guide you through the purchasing process or put you in touch with your regional rep.

Phone / Email

Call **855-577-2417** or email **support@sixinch.us**. Your regional rep contact information can also be found at **sixinchusa.com/connect**.

Brand Promise

We offer our customers endless creativity, backed by generations of industry experience. We deliver through quality, creativity and flexibility. We're here to help you create, entertain and work (a little). For more information visit **sixinchusa.com** or call us at **855-577-2417**.



SIXINCH® North America
901 East Madison Street, Goshen, IN 46528
855-577-2417
support@sixinch.us