

CIO

Acoustix Screen

Designed by SIXINCH USA



Product Sheet / **CIO**

CIO - Acoustix Collection

The CIO acoustic panel brings an element of privacy to the open office space while maintaining the essence of a collaborative environment. The unique design keeps the concept of the open office, with the unique spaces in the panel all while reducing noise. Customize the room divider to your liking with our 8 standard colors. Mix and match within the whole office with other partition walls from the Acoustix collection.

Shown Above:
Smoke PET Panel
White-HPL Fascia
Wood Frame

General Information

Material

Panel: Acoustic PET Felt
Fascia: White - HPL
Frame: Russian Birch Plywood
Hardware: Not Required

Options

Panel Patterns: Grass, 1/2 Horizon,
Horizon, Gears, Solid

Environment

Suitable for Any Indoor
Environment.

Dimensions (in)



CIO


Acoustix Screen

W 42.0 x D 11.0 x H 68.0


Patterns




CIO



1/2 Horizon



Horizon



Gears



Solid



Estimated Weight

The CIO estimated weight is 27lbs.

** Weight is based on screen pattern.*




Ready-to-Assemble Design

Acoustix Screens are flat packed for convenient shipping.


Assembly is simple and requires no hardware.

Color / Finish


PET Felt Colors



White Noise




Cast Iron




Sonic




Latte



Smoke



Fossil



Moss

Frame Finishes



White-HPL



Natural

PET Felt Specification



Sound Absorption

Coefficient is more than 0.8 in the range of 125 ~ 4000 Hz, making sound better and ideal for high demand acoustic installations.



Fire Retardant

Passes ASTM fire retardant test done by SGS, resulting in a Class A specification.



Environmental

Reaches national level EO flexible and soft, will not fragment.



Physical


Heat preservation qualities. Flexible, Wear Resistant, Impact Resistant, Tear Resistant. Widely used in places requiring special requirements for the wall.

CIO Details



CIO

Acoustix Screen
**Any Pattern*



Product Sheet / **CIO**



Product Sheet / **CIO**

Service / Warranty

Servicing

Damaged components in need of replacement require an image of the damaged part and a reference to your order number. Please email this information to **support@sixinch.us** and we will be happy to provide replacement options.

** Visit **sixinchusa.com/warranty** for details on service and warranty terms and conditions.*

Warranty

Wood, steel, aluminum, plastic components, molded PE applications shall be free from defects in materials and workmanship for a period of five (5) years from the date of purchase. Softening of foam will occur through normal use and is not a manufacturing defect.



Quote

Online

Visit **sixinchusa.com**, create an account and submit your quote. A customer service representative will be in touch to guide you through the purchasing process or put you in touch with your regional rep.

Phone / Email

Call **855-577-2417** or email **support@sixinch.us**. Your regional rep contact information can also be found at **sixinchusa.com/connect**.

Brand Promise

We offer our customers endless creativity, backed by generations of industry experience. We deliver through quality, creativity and flexibility. We're here to help you create, entertain and work (a little). For more information visit **sixinchusa.com** or call us at **855-577-2417**.



SIXINCH® North America
901 East Madison Street, Goshen, IN 46528
855-577-2417
support@sixinch.us