

H Pouf

Pouf

Designed by Pieter Jamart



Product Sheet / **H Pouf**

H Pouf

Take a seat on the surprisingly comfortable H Pouf. The raised dimensions on the cube provide a unique texture but the soft foam allows a relaxed sit for the user. Create a bold statement in any space with the H Pouf.

Shown Above:
H Pouf

General Information

Foam

Foam Density Rating: 2.70 lb/ft

ILD Rating: 65

Test Weight: Up to 350lbs

CAL117 Flame Retardant

Options


FlexPlus™: Custom Color Systems

Ganging, Tethering, Weights: Yes

Environment

Suitable for Any Indoor
or Outdoor Environment.

Dimensions (in)



H Pouf

Pouf

W 18.0 x **D** 18.0 x **H** 19.5

Product Sheet / **H Pouf**



Foam Tolerance

Foam Tolerances can vary. When placing your order,
please ensure tolerances listed below fit into specified space.

0" to 2" = +/- 1/16"

2" to 36" = +/- 1/8"

36" or more = +/- 1/4"

Angles +/- 1°

Standard FlexPlus™ Colors

Primary




Yellow



White



Ultramarine



Red



Black



Anthracite


Vibrant



Pink



Orange




Saffron



Purple



Light Green



Green


Earthtones



Turquoise



Ruby



Robins Egg



Pewter




Ocean



Midnight




Light Blue



Smoke




Grape



Fern



Dark Grey




Camel

Metallics




Shadow




Silver




Olive



Gold



Copper



Space

We Match Custom Color Systems Including CMYK, PMS, RAL, NCS

☀ U.V. Resistant

The FlexPlus™ coating is suitable for indoor or outdoor application. The color layer features U.V. Inhibitors found in automotive paint, providing a durable finish that can withstand the elements.



Product Sheet / **H Pouf**



Product Sheet / **H Pouf**

📷 All images shown can be found online
at sixinchusa.com

Service / Warranty

Servicing

Damaged components in need of replacement require an image of the damaged part and a reference to your order number. Please email this information to **support@sixinch.us** and we will be happy to provide replacement options.

FlexPlus™ Warranty

FlexPlus™ coated surfaces shall be free of defects in materials and workmanship for a period of three (3) years. FlexPlus coated products intended to be used in non-standard furniture applications (i.e. stood on, walked on, or in “heavy use”) shall be free of defects in material and workmanship for a period of one (1) year. FlexPlus coated products intended to be used in applications other than furniture uses (i.e. as “toys”, building blocks, or without a wood base/glides) will not be covered under warranty.



* Visit **sixinchusa.com/warranty** for details on service and warranty terms and conditions.

Quote

Online

Visit **sixinchusa.com**, create an account and submit your quote. A customer service representative will be in touch to guide you through the purchasing process or put you in touch with your regional rep.

Phone / Email

Call **855-577-2417** or email **support@sixinch.us**. Your regional rep contact information can also be found at **sixinchusa.com/connect**.

Brand Promise

We offer our customers endless creativity, backed by generations of industry experience. We deliver through quality, creativity and flexibility. We're here to help you create, entertain and work (a little). For more information visit **sixinchusa.com** or call us at **855-577-2417**.



SIXINCH® North America
901 East Madison Street, Goshen, IN 46528
855-577-2417
support@sixinch.us